



# SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of:  
HPR, Schedule 1

Revision date 20-Oct-2025

Revision Number 1

## 1. Identification

### Product identifier

**Product Name** n-Octane-d18 (Reagent grade)

### Other means of identification

**Product Code(s)** CDN-D-0451-1G

### Recommended use of the chemical and restrictions on use

**Recommended use** Laboratory use

**Restrictions on use** No information available

### Details of the supplier of the safety data sheet

#### Initial supplier identifier

Toronto Research Chemicals  
101 Milani Blvd.,  
Vaughan, Ontario  
L4H 4M4

Emergency number: +1(416) 665-9696 between 0800-1700 (GMT-5)

Fax: +14166654439

Web: [www.lgcstandards.com](http://www.lgcstandards.com)

**E-mail** [sds-request@lgcgroup.com](mailto:sds-request@lgcgroup.com)

### Emergency telephone number

#### **Emergency Telephone**

For Hazardous Materials or Dangerous Goods Incident

Spill, Leak, Fire Exposure, or Accident

Call CHEMTREC:

USA & Canada 1-800-424-9300

Rest of the world +1 703-741-3877

## 2. Hazard identification

### Classification of the substance or mixture

Classification according to WHMIS.

Flammable liquids	Category 2
Skin corrosion/irritation	Category 2
Specific target organ toxicity — single exposure	Category 3



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

Category 3 Target organ effects: Narcotic effects.	
Aspiration hazard	Category 1
Hazardous to the Aquatic Environment - Acute Hazard	Category 1
Hazardous to the Aquatic Environment - Chronic Hazard	Category 1

## Label elements

### Danger



Environmental hazards

### Hazard statements

Classification according to WHMIS.  
Highly flammable liquid and vapour.  
Causes skin irritation.  
May cause drowsiness or dizziness.  
Very toxic to aquatic life with long lasting effects.  
May be fatal if swallowed and enters airways.

### Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling.  
Avoid breathing dust, fume, gas, mist, vapors and spray.  
Use only outdoors or in a well-ventilated area.  
Avoid release to the environment.  
Ground and bond container and receiving equipment.  
Use non-sparking tools.  
Take action to prevent static discharges.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Keep container tightly closed.  
Wear protective gloves, protective clothing, eye protection and face protection.  
Keep cool.

### Skin

If skin irritation occurs: Get medical advice and attention.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
Wash contaminated clothing before reuse.



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

## Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTRE or doctor if you feel unwell.

## Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
Do NOT induce vomiting.

## Fire

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

## Spill

Collect spillage.

## Precautionary Statements - Storage

Store locked up.  
Store in a well-ventilated place. Keep container tightly closed.

## Precautionary Statements - Disposal

Dispose of contents and container to an approved waste disposal plant.

## Other information

Very toxic to aquatic life.

## 3. Composition/information on ingredients

### Substance

Formula C8D18

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
N-Octane-d18	17252-77-6	90 - 100%	-	

### Additional information

This product contains a stable isotope

## 4. First-aid measures

### Description of first aid measures

#### General advice

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. Aspiration into lungs can produce severe lung damage. If breathing has stopped, give artificial respiration. Get medical attention immediately. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. If breathing is difficult, (trained personnel should) give oxygen. Get immediate medical attention. Delayed



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

<b>Eye contact</b>	pulmonary edema may occur. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. ASPIRATION HAZARD IF SWALLOWED - CAN ENTER LUNGS AND CAUSE DAMAGE. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid contact with skin, eyes or clothing.

## Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.
<b>Effects of Exposure</b>	No information available.

## Indication of any immediate medical attention and special treatment needed

<b>Note to doctors</b>	Because of the danger of aspiration, emesis or gastric lavage should not be used unless the risk is justified by the presence of additional toxic substances.
------------------------	---

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	Yes.
<b>Special protective equipment and</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

precautions for fire-fighters Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material.

**Other information** Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

**Methods for containment** Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapour suppressing foam may be used to reduce vapours. Dyke far ahead of spill to collect run-off water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

**Methods for cleaning up** Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. Handling and storage

### Precautions for safe handling

**Advice on safe handling** Use personal protection equipment. Avoid breathing vapours or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

**General hygiene considerations** Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

## Conditions for safe storage, including any incompatibilities

### Storage Conditions

Please refer to the manufacturer's certificate for specific storage and transport temperature conditions. Store only in the original receptacle unless other advice is given on the CoA. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labelled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Store locked up. Keep out of the reach of children. Store away from other materials.

## 8. Exposure controls/personal protection

### Control parameters

### Control parameters

### Exposure Limits

Chemical name	Alberta	British Columbia	Ontario	Quebec
N-Octane-d18 17252-77-6	TWA: 300 ppm TWA: 1400 mg/m <sup>3</sup>	TWA: 300 ppm	TWA: 300 ppm	TWA: 300 ppm

### Appropriate engineering controls

#### Engineering controls

Showers  
Eyewash stations  
Ventilation systems.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Tight sealing safety goggles.

#### Hand protection

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Wear suitable gloves. Impervious gloves.

#### Skin and body protection

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

#### Respiratory protection

No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

#### Environmental exposure controls

Do not allow into any sewer, on the ground or into any body of water.

#### General hygiene considerations

Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

product. Wash hands before breaks and after work. Wear suitable gloves and eye/face protection. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

Appearance	Oily
Physical state	Liquid
Colour	colourless
Odour	Gasoline-like odour

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	No data available	None known
Initial boiling point and boiling range	No data available	None known
Flammability		None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
SADT (°C)	No data available	None known
pH	No data available	None known
pH (as aqueous solution)	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	No data available	None known
Solubility(ies)	No data available	None known
Partition Coefficient (n-octanol/water)	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Relative vapour density	No data available	None known
Particle characteristics		None known
Particle Size	No data available	
Particle Size Distribution	No data available	

### Other information

Molecular weight	132.34
------------------	--------

### Information with regards to physical hazard classes

## 10. Stability and reactivity



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

**Reactivity** No information available.  
**Chemical stability** Stable under normal conditions.  
**Possibility of hazardous reactions** None under normal processing.  
**Conditions to avoid** Heat, flames and sparks.  
**Incompatible materials** Strong acids. Strong bases. Strong oxidising agents.  
**Hazardous decomposition products** None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

**Inhalation** Specific test data for the substance or mixture is not available. Aspiration into lungs can produce severe lung damage. May cause pulmonary edema. Pulmonary edema can be fatal. May cause irritation of respiratory tract. May cause drowsiness or dizziness.

**Eye contact** Specific test data for the substance or mixture is not available. May cause irritation.

**Skin contact** Repeated exposure may cause skin dryness or cracking. Specific test data for the substance or mixture is not available. Causes skin irritation. (based on components).

**Ingestion** Specific test data for the substance or mixture is not available. Potential for aspiration if swallowed. May cause lung damage if swallowed. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed and enters airways. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

### Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Difficulty in breathing. Coughing and/ or wheezing. Dizziness. Redness. May cause redness and tearing of the eyes. Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

**Acute toxicity** No information available.  
**Numerical measures of toxicity**

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
N-Octane-d18 17252-77-6	-	-	> 24.88 mg/L ( Rat ) 4 h

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes skin irritation.



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

<b>Serious eye damage/eye irritation</b>	Based on available data, the classification criteria are not met.
<b>Respiratory or skin sensitisation</b>	Based on available data, the classification criteria are not met.
<b>Germ cell mutagenicity</b>	Based on available data, the classification criteria are not met.
<b>Carcinogenicity</b>	Based on available data, the classification criteria are not met.
<b>Reproductive toxicity</b>	Based on available data, the classification criteria are not met.
<b>STOT - single exposure</b>	May cause drowsiness or dizziness.
<b>STOT - repeated exposure</b>	Based on available data, the classification criteria are not met.
<b>Target organ effects</b>	Respiratory system, Eyes, Skin, Central nervous system.
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways.

## 12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
N-Octane-d18 17252-77-6	-	-	-	EC50: =0.38mg/L (48h, water flea)

**Persistence and degradability** No information available.

**Bioaccumulation** No information available.

### Component Information

Chemical name	Partition coefficient
N-Octane-d18 17252-77-6	5.18

**Other adverse effects** No information available.



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

## 13. Disposal considerations

### Disposal methods

**Waste from residues/unused products**

Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging**

Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

## 14. Transport information

### TDG

UN number or ID number	UN1262
UN proper shipping name	Octanes
Transport hazard class(es)	3
Packing group	II
Description	UN1262, Octanes, 3, II

### DOT

UN number or ID number	UN1262
Extended proper shipping name	Octanes
Transport hazard class(es)	3
Packing group	II
DOT Marine Pollutant	I.
Description	UN1262, Octanes, 3, II, Marine pollutant
Special Provisions	IB2, T4, TP2

### ICAO (air)

UN number or ID number	UN1262
UN proper shipping name	Octanes
Transport hazard class(es)	3
Packing group	II
Description	UN1262, Octanes, 3, II

### IATA

UN number	UN1262
UN proper shipping name	Octanes
Transport hazard class(es)	3
Packing group	II
ERG Code	3H
Description	UN1262, Octanes, 3, II

### IMDG

	Not regulated
UN number	UN1262
UN proper shipping name	Octanes
Transport hazard class(es)	3



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

**Packing group** II F-E S-E  
**Marine pollutant** P  
**Description** UN1262, Octanes, 3, II, Marine pollutant

## 15. Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

**The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable

**The Stockholm Convention on Persistent Organic Pollutants** Not applicable

**The Rotterdam Convention** Not applicable

**TSCA** LGC, to the best of its ability, has confirmed that the chemical substances in this product are listed as "Active" in the EPA (Environmental Protection Agency) "TSCA Inventory Notification (Active-Inactive) Requirements Rule" ("the Final Rule") of Feb 2019, as amended Feb 2021."

Chemical name	CAS No.	US TSCA Inventory listing	US TSCA inactive/active designation
N-Octane-d18	17252-77-6	Present	Active

#### International Inventories

**DSL/NDSL** Contact supplier for inventory compliance status.  
**EINECS/ELINCS** Contact supplier for inventory compliance status.  
**ENCS** Contact supplier for inventory compliance status.  
**IECSC** Contact supplier for inventory compliance status.  
**KECL** Contact supplier for inventory compliance status.  
**PICCS** Contact supplier for inventory compliance status.  
**AIIC** Contact supplier for inventory compliance status.  
**NZIoC** Contact supplier for inventory compliance status.  
**TCSI** Contact supplier for inventory compliance status.

#### **Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List  
**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances  
**ENCS** - Japan Existing and New Chemical Substances  
**IECSC** - China Inventory of Existing Chemical Substances  
**KECL** - Korean Existing and Evaluated Chemical Substances  
**PICCS** - Philippines Inventory of Chemicals and Chemical Substances  
**AICS** - Australian Inventory of Chemical Substances  
**NZIoC** - New Zealand Inventory of Chemicals  
**TCSI** - Taiwan Chemical Substance Inventory



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

## 16. Other information

**NFPA** Health hazards 2 Flammability 3 Instability 0 Special hazards -  
**HMIS** Health hazards 2 Flammability 3 Physical hazards 0 Personal protection X

### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend

ACGIH	The American Conference of Governmental Industrial Hygienists (ACGIH) Documentation of Threshold Limit Values and Biological Indices (latest edition)
ADN	European Agreement on International Transport of Dangerous Goods by Road (ADR)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
P240 - Ground and bond container and receiving equipment	Acute Toxicity Estimate
P263 - Avoid contact during pregnancy and while nursing	ASTM (formerly known as the American Society for Testing and Materials)
bar	Biological Reference Values for Chemical Compounds in the Work Area
paste	Biological tolerance values for occupational exposure
MEX	Biological exposure limits
European Export/Import Restrictions per (EC) 649/2012 - Annex Number	Body weight
Ceiling	Maximum limit value
CMR Effects	CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
DOT	DOT (Department of Transportation)
DSL	Canadian Domestic Substances List (DSL)
EmS	Emergency Schedule
ENCS	ENCS (Existing and New Chemical Substances)
EPA	EPA (Environmental Protection Agency)
GHS	The Globally Harmonised System of Classification and Labelling of Chemicals (GHS)
HMIS	Hazardous Materials Identification System
IARC	IARC - International Agency for Research on Cancer
IATA	(IATA) International Air Transport Association
IBCs	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO	The transportation of primary lithium cells and batteries is regulated by the International Civil Aviation Organization, International Air Transport Association, International Maritime Dangerous Goods Code and the US Department of Transportation. The batteries must meet the following criteria for shipment: 1. Air shipments must meet the requirements listed in Special Provision A45 of the International Air Transport Association Dangerous Goods Regulations. 2. Meet the requirements for the US Department of Transportation listed in 49 CFR 173.185. 3. The transport of primary lithium batteries is prohibited aboard passenger aircraft. Refer to the Federal Register December 15, 2004 (Hazardous Materials; Prohibited on the Transportation of Primary Lithium Batteries and Cells Aboard Passenger Aircraft; Final Rule)
IECSC	China (IECSC)



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

IMDG	Sea transport (IMDG)
Directive 84/449/EEC, Annex, C.10	International Maritime Organization
Directive 84/449/EEC, Annex, A.7	ISO (The International Organization for Standardisation)
KECL	South Korea (KECL)
LC50	Lethal Concentration to 50% of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
Harmful Substances - names to be indicated on the label; Industrial Safety and Health Law enforcement order article 18 (related to Industrial Safety and Health Law article 57)	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	NOAEL (No observed adverse effect level)
Other names	No Observable Effect Loading Rate
NZIoC	NZIoC - New Zealand Inventory of Chemicals
Harmful Substances - names to be indicated on the label; Industrial Safety and Health Law enforcement order article 18 (related to Industrial Safety and Health Law article 57)	OECD (Organization for Economic Cooperation and Development)
OEL	Occupational exposure limits
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	PICCS - Philippines Inventory of Chemicals and Chemical Substances
Chemically unstable gas A	Persistent, Mobile and Toxic
Terrestrial ecotoxicity	Personal protective equipment
QSAR	Quantitative Structure Activity Relationships [QSAR]
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SDS	Safety Data Sheet
SL	Surface Limit
STEL	<b>STEL</b> - Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	TDG (Transport of Dangerous Goods) Canada
TSCA	TSCA (Toxic Substances Control Act)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
Sen+	Sensitiser
Sk*	Skin designation
**	Hazard Designation



# SAFETY DATA SHEET

CDN-D-0451-1G - n-Octane-d18 (Reagent grade)

Revision date 20-Oct-2025

## Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)  
U.S. Environmental Protection Agency ChemView Database  
European Food Safety Authority (EFSA)  
EPA (Environmental Protection Agency)  
Acute Exposure Guideline Level(s) (AEGl(s))  
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
U.S. Environmental Protection Agency High Production Volume Chemicals  
Food Research Journal  
Hazardous Substance Database  
International Uniform Chemical Information Database (IUCLID)  
National Institute of Technology and Evaluation (NITE)  
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications  
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme  
Organisation for Economic Co-operation and Development Screening Information Data Set  
World Health Organization

**Revision date** 20-Oct-2025

**Revision Note** No information available.

### Disclaimer

The information in this safety data sheet (SDS) has been prepared with due care and is true and accurate to the best of our knowledge. The user must determine the suitability of the information for its particular purpose, ensure compliance with existing laws and regulations, and be aware that other or additional safety or performance considerations may arise when using, handling and/ or storing the material. The information in this SDS does not purport to be all inclusive or a guarantee as to the properties of the material supplied, and should be used only as a guide. LGC makes no warranties or representations as to the accuracy and completeness of the information contained herein, shall not be held responsible for the suitability of this information for the user's intended purposes or the consequences of such use, and shall not be liable for any damage or loss, howsoever arising, direct or otherwise.

**End of Safety Data Sheet**